


This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D DWG. NO. FROM 369D29942, MOVED ASSY VIEW TO SHEET 1, CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE.	6/15/09	RJC	RW



**SUPERCEDED**

**UNDER REVIEW**

URF 19-642 19.03.18 (KPT)

MARK REFLECTORS -11 THRU -23 ACCORDING TO PRINT



ASSY QTY		B/D	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/D INFORMATION OR SPECIFICATIONS	Pg.	DWG NO. RBD29942		REV A
			-1	5	BODY	6061-T6 RND. BAR	Ø2-3/4 x 3/4	2	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° X ± .1 UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE NTS DATE 11-16-01 SHEET 1 of 3		DRAWN BY: COLE APPROVED HEAT TREAT FINISH SPEC USED ON MODEL HUGHES 500
			-3	5	GUARD	S.S. TUBE	Ø11/16 x .028 WALL (ID MUST BE Ø5/8 MIN.)	2			
		B/D		5	REFLECTOR P/N -11 thru -23	-	STIMSDNITE 905 (DISCONTINUED SPRING 2001)	3			
							(OR EQUIV.) CONTACT AVERY-DENNISON @				
							1-800-327-5917, THIS WHITE RELECTOR IS				
							APPROXIMATELY Ø1/2 x 7/32 THICK				
	ASSY #										

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D DWG. NO. FROM 369D29942, MOVED ASSY VIEW TO SHEET 1, CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE.	6/15/09	RJC	RW

**UNDER REVIEW**

URF 19-642 19.03.18 (KPT)



③  
GUARD


①

BODY

ANODIZE BLACK



<b>RED BARN MACHINE</b>	
TITLE M/R BLADE TRACKING TOOL	
DWG NO. RBD29942-1 & -3	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	DRAWN BY: COLE
DECIMALS	APPROVED
.XXX ± .005	HEAT TREAT
XX ± .01	FINISH
X ± .1	SPEC
FRACTIONS ± 1/32	SEE PARTS
ANGLES ± 5°	USED ON MODEL
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 11-16-01
SHEET 2 of 3	

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
A	CH'D DWG. NO. FROM 369D29942, MOVED ASSY VIEW TO SHEET 1, CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE.	6/15/09	RJC
			RW



**SUPERCEDED**

MARK REFLECTORS  
AND PART NUMBERS  
AS SHOWN



**UNDER REVIEW**

URF 19-642 19.03.18 (KPT)

**RED BARN MACHINE**

TITLE M/R BLADE TRACKING TOOL

DWG NO. RBD29942-11 thru -23 REV A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: COLE
TOLERANCES IN:		APPROVED
DECIMALS		HEAT
.XXX ± .005	FRACTIONS ± 1/32	TREAT
.XX ± .01	ANGLES ± 5°	FINISH
X ± .1		SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R		USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		HUGHES 500
SCALE NTS	DATE 11-16-01	SHEET 3 of 3

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.